

Polypropylene pleated graded-density filter cartridges featuring APT Construction for Extended Filter Lifetime

3M Purification's Betafine PEG Series filter cartridge, formerly known as PolyPro XL, represents a major advance in pleated polypropylene filter design and performance. Advanced Pleat Technology (APT) construction combines:

- up to 50% more filter media (surface area) than competitive filters,
- graded-density media for optimum contaminant holding,
- new cartridge design for increased flow and reduced pressure drop.


The result is a filter cartridge that lasts longer, performs better and saves money.

The APT Advantage

Surface area dictates just how long a filter will last and how it will perform. However, increasing surface area without considering the flow path between the media's pleats could result in flow restrictions and early media blinding. To achieve the optimum between surface area and performance, 3M Purification has designed Betafine PEG Series so that the pleating process and media support materials work together to provide enhanced flow characteristics and longer service life.



Figure 1: Surface Area Comparison



Features and Benefits

Advanced Pleat Technology construction for extremely high surface area

- Higher product throughputs for extraordinarily long service life
- Lower total filtration operating costs
- Lower pressure drops for higher flow rates

Absolute-rated filter performance

- Consistent and reproducible contaminant removal
- Higher product quality and yields

Graded-density multi-layer filter media

- Selective entrapment of contaminant throughout the filter media to maximise filter life
- Higher contaminant holding capacity

Polypropylene cartridge components free of adhesives and surfactants

- Very low extractable levels for optimum filtrate purity
- Broad chemical compatibility for most aggressive process applications

100% integrity tested versions available

- Pre-qualification and assurance in critical applications
- Suitable for final filtration in many applications

Robust polypropylene cartridge construction

- Extends service life and compatible with a wide range of solvents and cleaning solutions






Figure 2: Flow vs. Differential Pressure

Clean Water Flow per 10 Inch Cartridge at Ambient Temperature (20 °C)



Standard Cartridge



Graded-Density - the key to longer life

The Betafine PEG Series filter's graded-density media structure removes particles sequentially by size - the larger particles by the more open, outer medium and the smaller particles by the tighter, inner medium. The outer medium acts as a prefilter, while the inner provides the absolute removal specified by the cartridge rating. This construction effectively spreads the contaminant through the depth of the filter media resulting in extremely high contaminant capacity with lower pressure drop for longer service life.

Chemical Compatibility

Polypropylene construction provides chemical compatibility in many demanding process fluid applications. Compatibility is influenced by process operating conditions. In critical applications, cartridges should be tested under actual conditions to ensure correct selection.

Flow Characteristics and Sizing Options

Reduced cartridge change-out frequency

For a given process flow rate, the graded-density structure and maximum filter area decrease filter cartridge change-out frequency by 30 to 50 percent or more depending on the application.

Reduced filter housing costs

For new applications, the low pressure drops of the Betafine PEG Series filter allow smaller or fewer housings to be specified. Fewer filter cartridges and smaller housings provide lower capital and consumables costs, year after year.

Ideally, filter systems should be sized at an initial differential pressure of 0.04 to 0.07 bar. Low flow rates further extend the life of the filter system. In most applications, doubling the filter area (reducing the flow rate per unit area by one-half) results in two and one-half times the throughput.

Betafine PEG Series Cartridge Specifications	
Materials	
Media	Graded-Density Pleated Polypropylene
Supports	Polypropylene
Core, Cage, End Caps	Polypropylene
Gasket and O-ring Options	Silicone, Fluorocarbon, Ethylene Propylene, Nitrile
Operating Conditions	
Maximum Operating Temperature	60 °C continuous 80 °C short term
Maximum Forward Pressure Differential	4 bar at 25 °C
Maximum Reverse Pressure Differential	4 bar at 25 °C
Cartridge Dimensions	
Media area versions PEG	1 m ² 10 micron cartridge has media area of 0.6 m ²
Diameter	7 cm (2.75 inches)
Length	Nominal 10", 20", 30" and 40"

Quality System ISO 9001:2000


Betafine PEG Series filter cartridges are manufactured under an ISO 9001:2000 certified quality system. The quality system ensures that appropriate standards are met or exceeded to provide consistent, high quality products.

The Betafine PEG Series Filtration Advantage

A recirculating electroless nickel plating bath can be optimised with Betafine PEG Series filters. For high density memory devices, particle defects can be safely controlled with in-line 0.6 µm filtration. By replacing a 0.6 µm absolute rated competitive cartridge with an equally retentive Betafine PEG Series filter, the pressure drop can be reduced by one half, providing the flexibility to increase the flow through the bath by a factor of 4. With the Betafine PEG Series filters, the bath will clean up more efficiently after the high density devices are introduced into the plating solution. Betafine PEG Series filters effectively remove the contaminating particles while maintaining or increasing process yields. Product throughput in this critical process step can be increased and filter change-out frequency reduced, a direct result of the 60% surface area increase - only available with the Betafine PEG Series filter's APT technology.

Serial filtration was employed in this ambient temperature acid transfer, with a 10 µm Betafine PEG Series prefilter prior to a 1.2 µm Betafine PEG Series final filter. The low initial pressure drop and graded-density construction of the Betafine PEG Series filter allowed the process to run for extended periods before filter plugging. This optimised filtration scheme delivered premium quality acid with very low particle counts.

Acid Transfer Processing with Betafine PEG Series Filters



Electronics and Chemicals Applications

Today's electronics manufacturing and chemicals processing demand ever increasing levels of filtration efficiency and filtrate purity. Betafine PEG Series cartridge filters provide the answer for a broad range of applications.

Pre-reverse osmosis (Pre-RO)

- Pre-RO water filtration requires robust cartridges with long life to protect expensive RO membranes from seasonal fluctuations and process upsets. Low particle count ultrapure water is necessary at multiple points in every defect-sensitive production facility.

Plating and cleaning baths

- Plating and cleaning baths must maintain very low particle counts, despite constant contaminant addition, to provide the highest yields.

Multi-layer board processes

- Complex multi-layer board processes need an economical filter capable of high throughputs and extended lifetimes. Heavy contaminant loads must be handled without premature plugging of the filter.

Fine chemical production

- Fine chemical production demands economical, rigorous filter cartridges with long service life. Betafine PEG Series filter cartridges are compatible with a wide range of process chemicals.

Durable polypropylene construction provides superior chemical and mechanical compatibility under the most severe service conditions. Proper cartridge selection for individual process conditions sized for low initial pressure drop will ultimately extend cartridge lifetime and compatibility.

Applications Support - SASS

3M Purification's Scientific Applications Support Services (SASS) is staffed by scientists and engineers, with state-of-the-art laboratory facilities. The SASS staff, familiar with a wide range of filtration and separation applications, work closely with the customer to recommend the most effective and economical 3M Purification filtration systems.

Betafine PEG Series Filter Cartridge Ordering Guide

Model	Absolute Rating***	Configuration	Nominal Length	End Modification	Gasket/O-ring Material
PEG	020 : 0.2 µm 060 : 0.6 µm 120 : 1.2 µm 250 : 2.5 µm 500 : 5.0 µm 10C : 10.0 µm	B - Cartridge 2.8" (7.1 cm)	01 : 10" 02 : 20" 03 : 30" 04 : 40"	B - 226 O-ring with spear C - 222 O-ring with spear D - DOE flat gasket (10") E - DOE flat gasket (9 ¾") F - 222 O-ring with Flat Cap	A - Silicone B - Fluorocarbon C - EPR D - Nitrile H - Clear silicone

* Retention ratings determined by modified ASTM STP 975. The 0.2 micron rating has been extrapolated. For more information, contact your 3M Purification representative.

Note: Betafine PEG Series is the new name for PolyPro XL Industrial.

Important Notice

3M Purification MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Since a variety of factors can affect the use and performance of a 3M Purification product in a particular application, some of which are uniquely within the user's knowledge and control, user is responsible for determining whether or not the 3M Purification product is fit for a particular purpose and suitable for user's method of application.

Limited Warranty

3M Purification warrants it this product to be free from defects in material and workmanship during normal use for a period of one (1) year from the date of shipment from the factory. If the Product(s) is (are) defective within this warranty period, your exclusive remedy and 3M Purification's sold obligations shall be, at 3M Purification's option, to replace or repair the Product(s) or refund the original purchase price of the Product(s). This warranty does not apply to failures that result from abuse, misuse, alternation or damage not caused by 3M Purification or failure to properly follow installation and use instructions.

Limitation of Liability: 3M Purification will not be liable for any loss or damage arising from the use of the Product(s), whether direct, indirect, special, incidental, or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you.

This warranty gives you specific legal rights and you may have other rights which vary from state to state, or country to country.

3M, Betafine and APT are registered trademarks of 3M Company used under license.



LENNTECH

info@lennotech.com Tel. +31-152-610-900
 www.lennotech.com Fax. +31-152-616-289

Data may be subject to change without further notice.

© 3M 2010. All rights reserved.

DOC10098

LITCTBFPEG1.EU - 0810

The below 3M Cuno Bettafine PEG-series cartridge filters are all the models that are potentially possible in all variations.
Please note that not all models are actually produced or on stock and some model numbers and names have become obsolete.
Nevertheless this should help as cross reference table chart for Cuno filters nomenclature.

Bettafine PEG series

PEG020B01BA	PEG60B01BA	PEG120B01BA	PEG250B01BA	PEG500B01BA	PEG10CB01BA
PEG020B01BB	PEG60B01BB	PEG120B01BB	PEG250B01BB	PEG500B01BB	PEG10CB01BB
PEG020B01BC	PEG60B01BC	PEG120B01BC	PEG250B01BC	PEG500B01BC	PEG10CB01BC
PEG020B01BD	PEG60B01BD	PEG120B01BD	PEG250B01BD	PEG500B01BD	PEG10CB01BD
PEG020B01BH	PEG60B01BH	PEG120B01BH	PEG250B01BH	PEG500B01BH	PEG10CB01BH
PEG020B01CA	PEG60B01CA	PEG120B01CA	PEG250B01CA	PEG500B01CA	PEG10CB01CA
PEG020B01CB	PEG60B01CB	PEG120B01CB	PEG250B01CB	PEG500B01CB	PEG10CB01CB
PEG020B01CC	PEG60B01CC	PEG120B01CC	PEG250B01CC	PEG500B01CC	PEG10CB01CC
PEG020B01CD	PEG60B01CD	PEG120B01CD	PEG250B01CD	PEG500B01CD	PEG10CB01CD
PEG020B01CH	PEG60B01CH	PEG120B01CH	PEG250B01CH	PEG500B01CH	PEG10CB01CH
PEG020B01DA	PEG60B01DA	PEG120B01DA	PEG250B01DA	PEG500B01DA	PEG10CB01DA
PEG020B01DB	PEG60B01DB	PEG120B01DB	PEG250B01DB	PEG500B01DB	PEG10CB01DB
PEG020B01DC	PEG60B01DC	PEG120B01DC	PEG250B01DC	PEG500B01DC	PEG10CB01DC
PEG020B01DD	PEG60B01DD	PEG120B01DD	PEG250B01DD	PEG500B01DD	PEG10CB01DD
PEG020B01DH	PEG60B01DH	PEG120B01DH	PEG250B01DH	PEG500B01DH	PEG10CB01DH
PEG020B01EA	PEG60B01EA	PEG120B01EA	PEG250B01EA	PEG500B01EA	PEG10CB01EA
PEG020B01EB	PEG60B01EB	PEG120B01EB	PEG250B01EB	PEG500B01EB	PEG10CB01EB
PEG020B01EC	PEG60B01EC	PEG120B01EC	PEG250B01EC	PEG500B01EC	PEG10CB01EC
PEG020B01ED	PEG60B01ED	PEG120B01ED	PEG250B01ED	PEG500B01ED	PEG10CB01ED
PEG020B01EH	PEG60B01EH	PEG120B01EH	PEG250B01EH	PEG500B01EH	PEG10CB01EH
PEG020B01FA	PEG60B01FA	PEG120B01FA	PEG250B01FA	PEG500B01FA	PEG10CB01FA
PEG020B01FB	PEG60B01FB	PEG120B01FB	PEG250B01FB	PEG500B01FB	PEG10CB01FB
PEG020B01FC	PEG60B01FC	PEG120B01FC	PEG250B01FC	PEG500B01FC	PEG10CB01FC
PEG020B01FD	PEG60B01FD	PEG120B01FD	PEG250B01FD	PEG500B01FD	PEG10CB01FD
PEG020B01FH	PEG60B01FH	PEG120B01FH	PEG250B01FH	PEG500B01FH	PEG10CB01FH
PEG020B02BA	PEG60B02BA	PEG120B02BA	PEG250B02BA	PEG500B02BA	PEG10CB02BA
PEG020B02BB	PEG60B02BB	PEG120B02BB	PEG250B02BB	PEG500B02BB	PEG10CB02BB
PEG020B02BC	PEG60B02BC	PEG120B02BC	PEG250B02BC	PEG500B02BC	PEG10CB02BC
PEG020B02BD	PEG60B02BD	PEG120B02BD	PEG250B02BD	PEG500B02BD	PEG10CB02BD
PEG020B02BH	PEG60B02BH	PEG120B02BH	PEG250B02BH	PEG500B02BH	PEG10CB02BH
PEG020B02CA	PEG60B02CA	PEG120B02CA	PEG250B02CA	PEG500B02CA	PEG10CB02CA
PEG020B02CB	PEG60B02CB	PEG120B02CB	PEG250B02CB	PEG500B02CB	PEG10CB02CB
PEG020B02CC	PEG60B02CC	PEG120B02CC	PEG250B02CC	PEG500B02CC	PEG10CB02CC
PEG020B02CD	PEG60B02CD	PEG120B02CD	PEG250B02CD	PEG500B02CD	PEG10CB02CD
PEG020B02CH	PEG60B02CH	PEG120B02CH	PEG250B02CH	PEG500B02CH	PEG10CB02CH
PEG020B02DA	PEG60B02DA	PEG120B02DA	PEG250B02DA	PEG500B02DA	PEG10CB02DA
PEG020B02DB	PEG60B02DB	PEG120B02DB	PEG250B02DB	PEG500B02DB	PEG10CB02DB
PEG020B02DC	PEG60B02DC	PEG120B02DC	PEG250B02DC	PEG500B02DC	PEG10CB02DC
PEG020B02DD	PEG60B02DD	PEG120B02DD	PEG250B02DD	PEG500B02DD	PEG10CB02DD
PEG020B02DH	PEG60B02DH	PEG120B02DH	PEG250B02DH	PEG500B02DH	PEG10CB02DH
PEG020B02EA	PEG60B02EA	PEG120B02EA	PEG250B02EA	PEG500B02EA	PEG10CB02EA
PEG020B02EB	PEG60B02EB	PEG120B02EB	PEG250B02EB	PEG500B02EB	PEG10CB02EB
PEG020B02EC	PEG60B02EC	PEG120B02EC	PEG250B02EC	PEG500B02EC	PEG10CB02EC
PEG020B02ED	PEG60B02ED	PEG120B02ED	PEG250B02ED	PEG500B02ED	PEG10CB02ED
PEG020B02EH	PEG60B02EH	PEG120B02EH	PEG250B02EH	PEG500B02EH	PEG10CB02EH
PEG020B02FA	PEG60B02FA	PEG120B02FA	PEG250B02FA	PEG500B02FA	PEG10CB02FA
PEG020B02FB	PEG60B02FB	PEG120B02FB	PEG250B02FB	PEG500B02FB	PEG10CB02FB
PEG020B02FC	PEG60B02FC	PEG120B02FC	PEG250B02FC	PEG500B02FC	PEG10CB02FC
PEG020B02FD	PEG60B02FD	PEG120B02FD	PEG250B02FD	PEG500B02FD	PEG10CB02FD
PEG020B02FH	PEG60B02FH	PEG120B02FH	PEG250B02FH	PEG500B02FH	PEG10CB02FH
PEG020B03BA	PEG60B03BA	PEG120B03BA	PEG250B03BA	PEG500B03BA	PEG10CB03BA
PEG020B03BB	PEG60B03BB	PEG120B03BB	PEG250B03BB	PEG500B03BB	PEG10CB03BB
PEG020B03BC	PEG60B03BC	PEG120B03BC	PEG250B03BC	PEG500B03BC	PEG10CB03BC
PEG020B03BD	PEG60B03BD	PEG120B03BD	PEG250B03BD	PEG500B03BD	PEG10CB03BD
PEG020B03BH	PEG60B03BH	PEG120B03BH	PEG250B03BH	PEG500B03BH	PEG10CB03BH
PEG020B03CA	PEG60B03CA	PEG120B03CA	PEG250B03CA	PEG500B03CA	PEG10CB03CA
PEG020B03CB	PEG60B03CB	PEG120B03CB	PEG250B03CB	PEG500B03CB	PEG10CB03CB
PEG020B03CC	PEG60B03CC	PEG120B03CC	PEG250B03CC	PEG500B03CC	PEG10CB03CC
PEG020B03CD	PEG60B03CD	PEG120B03CD	PEG250B03CD	PEG500B03CD	PEG10CB03CD
PEG020B03CH	PEG60B03CH	PEG120B03CH	PEG250B03CH	PEG500B03CH	PEG10CB03CH
PEG020B03DA	PEG60B03DA	PEG120B03DA	PEG250B03DA	PEG500B03DA	PEG10CB03DA
PEG020B03DB	PEG60B03DB	PEG120B03DB	PEG250B03DB	PEG500B03DB	PEG10CB03DB
PEG020B03DC	PEG60B03DC	PEG120B03DC	PEG250B03DC	PEG500B03DC	PEG10CB03DC
PEG020B03DD	PEG60B03DD	PEG120B03DD	PEG250B03DD	PEG500B03DD	PEG10CB03DD
PEG020B03DH	PEG60B03DH	PEG120B03DH	PEG250B03DH	PEG500B03DH	PEG10CB03DH
PEG020B03EA	PEG60B03EA	PEG120B03EA	PEG250B03EA	PEG500B03EA	PEG10CB03EA
PEG020B03EB	PEG60B03EB	PEG120B03EB	PEG250B03EB	PEG500B03EB	PEG10CB03EB
PEG020B03EC	PEG60B03EC	PEG120B03EC	PEG250B03EC	PEG500B03EC	PEG10CB03EC
PEG020B03ED	PEG60B03ED	PEG120B03ED	PEG250B03ED	PEG500B03ED	PEG10CB03ED
PEG020B03EH	PEG60B03EH	PEG120B03EH	PEG250B03EH	PEG500B03EH	PEG10CB03EH
PEG020B03FA	PEG60B03FA	PEG120B03FA	PEG250B03FA	PEG500B03FA	PEG10CB03FA
PEG020B03FB	PEG60B03FB	PEG120B03FB	PEG250B03FB	PEG500B03FB	PEG10CB03FB
PEG020B03FC	PEG60B03FC	PEG120B03FC	PEG250B03FC	PEG500B03FC	PEG10CB03FC
PEG020B03FD	PEG60B03FD	PEG120B03FD	PEG250B03FD	PEG500B03FD	PEG10CB03FD
PEG020B03FH	PEG60B03FH	PEG120B03FH	PEG250B03FH	PEG500B03FH	PEG10CB03FH
PEG020B04BA	PEG60B04BA	PEG120B04BA	PEG250B04BA	PEG500B04BA	PEG10CB04BA
PEG020B04BB	PEG60B04BB	PEG120B04BB	PEG250B04BB	PEG500B04BB	PEG10CB04BB
PEG020B04BC	PEG60B04BC	PEG120B04BC	PEG250B04BC	PEG500B04BC	PEG10CB04BC
PEG020B04BD	PEG60B04BD	PEG120B04BD	PEG250B04BD	PEG500B04BD	PEG10CB04BD
PEG020B04BH	PEG60B04BH	PEG120B04BH	PEG250B04BH	PEG500B04BH	PEG10CB04BH
PEG020B04CA	PEG60B04CA	PEG120B04CA	PEG250B04CA	PEG500B04CA	PEG10CB04CA
PEG020B04CB	PEG60B04CB	PEG120B04CB	PEG250B04CB	PEG500B04CB	PEG10CB04CB
PEG020B04CC	PEG60B04CC	PEG120B04CC	PEG250B04CC	PEG500B04CC	PEG10CB04CC
PEG020B04CD	PEG60B04CD	PEG120B04CD	PEG250B04CD	PEG500B04CD	PEG10CB04CD
PEG020B04CH	PEG60B04CH	PEG120B04CH	PEG250B04CH	PEG500B04CH	PEG10CB04CH
PEG020B04DA	PEG60B04DA	PEG120B04DA	PEG250B04DA	PEG500B04DA	PEG10CB04DA
PEG020B04DB	PEG60B04DB	PEG120B04DB	PEG250B04DB	PEG500B04DB	PEG10CB04DB
PEG020B04DC	PEG60B04DC	PEG120B04DC	PEG250B04DC	PEG500B04DC	PEG10CB04DC
PEG020B04DD	PEG60B04DD	PEG120B04DD	PEG250B04DD	PEG500B04DD	PEG10CB04DD
PEG020B04DH	PEG60B04DH	PEG120B04DH	PEG250B04DH	PEG500B04DH	PEG10CB04DH
PEG020B04EA	PEG60B04EA	PEG120B04EA	PEG250B04EA	PEG500B04EA	PEG10CB04EA
PEG020B04EB	PEG60B04EB	PEG120B04EB	PEG250B04EB	PEG500B04EB	PEG10CB04EB
PEG020B04EC	PEG60B04EC	PEG120B04EC	PEG250B04EC	PEG500B04EC	PEG10CB04EC
PEG020B04ED	PEG60B04ED	PEG120B04ED	PEG250B04ED	PEG500B04ED	PEG10CB04ED
PEG020B04EH	PEG60B04EH	PEG120B04EH	PEG250B04EH	PEG500B04EH	PEG10CB04EH
PEG020B04FA	PEG60B04FA	PEG120B04FA	PEG250B04FA	PEG500B04FA	PEG10CB04FA
PEG020B04FB	PEG60B04FB	PEG120B04FB	PEG250B04FB	PEG500B04FB	PEG10CB04FB
PEG020B04FC	PEG60B04FC	PEG120B04FC	PEG250B04FC	PEG500B04FC	PEG10CB04FC
PEG020B04FD	PEG60B04FD	PEG120B04FD	PEG250B04FD	PEG500B04FD	PEG10CB04FD
PEG020B04FH	PEG60B04FH	PEG120B04FH	PEG250B04FH	PEG500B04FH	PEG10CB04FH