

27. DWK

DWK.O

50/60 Hz

Bearing

Pos.	Pump type [kW]	0.75-2.2	3.7	5.5-7.5	11-15
	Description/Kit No	96884154	96884155	96884156	96884157
102	Stop ring	1	1	1	1
153	Lower bearing	1	1	1	1
153a	Lower bearing	-	-	1	1
154	Upper bearing	1	1	1	1

Cable

Voltage [V]		220-240							
Pump type [kW]		0.75	3.7	5.5	5.5	7.5	11	11	
		2.2				7.5	15	15	
Pos.	Version	Standard	R	All	All	All	All	All	All
	Connection	DOL	DOL	DOL	DOL	Y-D	DOL	DOL	Y-D
	Description/Kit No	96884246	96884387	96884226	96884227	96936873	96884228	96884229	96936874
181a	Hex. bolt	3	3	2	2	2	2	2	2
181b	Washer	3	3	2	2	2	2	2	2
198b	Cable bush	-	-	2	2	2	2	2	2
198a	Ring	-	-	2	2	2	2	2	2
168	Cable gland	-	-	1	1	1	1	1	1
168b	Stuffing box	1	1	-	-	-	-	-	-
168a	Rubber moulding	1	1	-	-	-	-	-	-
524	Cable sleeves	14	10	8	8	11	8	10	13
525	Shrinkable sleeves	14	10	8	8	11	8	10	13
526	Electric tape	1	1	1	1	1	1	1	1

Voltage [V]		380-415							
Pump type [kW]		0.75	3.7	5.5	5.5	7.5	11		
		2.2				7.5	15		
						11			
Pos.	Version	Standard	R	Standard	R	All	All	All	All
	Connection	DOL	DOL	DOL	DOL	DOL	Y-D	DOL	DOL
	Description/Kit No	96884246	96884387	96883702	96884230	96884231	96936873	96884227	96884228
168	Cable gland	1	1	1	1	1	1	1	1
168b	Stuffing box	1	1	-	-	-	-	-	-
181	Power cable [m]	10	10	10	10	10	10	10	10
181a	Screw	3	3	2	2	2	2	2	2
181b	Washer	3	3	2	2	2	2	2	2
190a	Rubber moulding	1	1	-	-	-	-	-	-
198	Cable bush	-	-	2	2	2	2	2	2
198a	Backup ring	-	-	2	2	2	2	2	2
524	Cable sleeve	8	4	8	4	8	11	8	8
525	Shrinkable sleeve	8	4	8	4	8	11	8	8
526	Electric tape	1	1	1	1	1	1	1	1

Repair

Pump type [kW]		0.75-2.2	3.7	5.5-7.5	11-15
Pos.	Rubber type	NBR	NBR	NBR	NBR
	Description/Kit No	96884263	96884264	96884265	96884266
39	O-ring	1	1	1	1
35a	O-ring	1	1	1	1
37b	O-ring	1	1	1	1
37c	Upper packing	1	1	1	1
39c	Lower packing	1	1	1	1
109	O-ring	1	1	1	1

Suction cover

Pos.	Pump type [kW]	50 Hz					
		0.75	50 / 1.5	80 / 1.5	80 / 3.7	100 / 3.7	80 / 5.5
		50 / 2.2					
		80 / 2.2					
	Description/Kit No	96884243	96884244	96884245	96884165	96884247	96884248
189	Suction cover	1	1	1	1	1	1
188a	Screw	3	3	3	3	3	3
188b	Washer	3	3	3	3	3	3

Pos.	Pump type [kW]	50 Hz					
		100 / 5.5	150 / 7.5	100 / 11	150 / 11	100 / 15	150 / 15
		100 / 7.5					
	Description/Kit No	96884249	96884250	96926120	96884251	96884258	96884252
189	Suction cover	1	1	1	1	1	1
188a	Screw	3	3	3	3	3	3
188b	Washer	3	3	3	3	3	3

Pos.	Pump type [kW]	60 Hz					
		0.75	80 / 1.5	80 / 2.2	80 / 3.7	100 / 3.7	80 / 5.5
		50 / 1.5					
		50 / 2.2					
	Description/Kit No	96884253	96884254	96884255	96884256	96884257	96884248
189	Suction cover	1	1	1	1	1	1
188a	Screw	3	3	3	3	3	3
188b	Washer	3	3	3	3	3	3

Pos.	Pump type [kW]	60 Hz					
		100 / 5.5	100 / 7.5	150 / 7.5	100 / 11	150 / 11	100 / 15
		150 / 15					
	Description/Kit No	96884258	96884259	96884260	96884261	96884250	96884262
189	Suction cover	1	1	1	1	1	1
188a	Screw	3	3	3	3	3	3
188b	Washer	3	3	3	3	3	3

Shaft seal

Pos.	Pump type [kW]	0.75-2.2	3.7	5.5-15
	Description/Kit No	96884174	96884175	96884176
105	Mechanical seal	1	1	1
105a	Seal stopper	-	1	1
105b	Screw	-	3	3

Impeller

Pos.	Pump type [kW]	50 Hz standard version							
		0.75	50 / 1.5	80 / 1.5	50 / 2.2	80 / 3.7	100 / 3.7	80 / 5.5	100 / 5.5
		80 / 2.2							
	Description/Kit No	96884134	96884135	96884232	96884136	96884137	96884235	96884138	96884150
9a	Sunk key	1	1	1	1	1	1	1	1
46	Oil seal	-	-	-	-	1	1	1	1
49	Impeller	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	2	2	2
66	Washer	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1

Pos.	Pump type [kW]	50 Hz standard version						
		100 / 7.5	150 / 7.5	100 / 11	150 / 11	100 / 15	150 / 15	
	Description/Kit No	96884139	96884236	96884140	96884237	96884141	96884238	
9a	Sunk key	1	1	1	1	1	1	
46	Oil seal	1	1	1	1	1	1	
49	Impeller	1	1	1	1	1	1	
49a	Gap washer	2	2	2	2	2	2	
66	Washer	1	1	1	1	1	1	
188	Cap nut	1	1	1	1	1	1	

50 Hz R version									
Pos.	Pump type [kW]	0.75	50 / 1.5	80 / 1.5	50 / 2.2	80 / 3.7	100 / 3.7	80 / 5.5	100 / 5.5
		80 / 2.2							
	Description/Kit No	96936846	96936847	96936848	96936849	96936850	96936851	96936852	96936853
9a	Sunk key	1	1	1	1	1	1	1	1
46	Oil seal	-	-	-	-	1	1	1	1
49	Impeller	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	2	2	2
66	Washer	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1


50 Hz R version							
Pos.	Pump type [kW]	100 / 7.5	150 / 7.5	100 / 11	150 / 11	100 / 15	150 / 15
	Description/Kit No	96936854	96936855	96936856	96936857	96936858	96936859
9a	Sunk key	1	1	1	1	1	1
46	Oil seal	1	1	1	1	1	1
49	Impeller	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	2
66	Washer	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1

60 Hz standard version									
Pos.	Pump type [kW]	0.75	50 / 1.5	80 / 1.5	50 / 2.2	80 / 2.2	80 / 3.7	100 / 3.7	80 / 5.5
	Description/Kit No	96884144	96884145	96884234	96884146	96884202	96884147	96884239	96884148
09a	Sunk key	1	1	1	1	1	1	1	1
46	Oil seal	-	-	-	-	-	1	1	1
49	Impeller	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	2	2	2
66	Washer	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1

60 Hz standard version								
Pos.	Pump type [kW]	100 / 5.5	100 / 7.5	150 / 7.5	100 / 11	150 / 11	100 / 15	150 / 15
	Description/Kit No	96884240	96884149	96884241	96884150	96884242	96884139	96957540
9a	Sunk key	1	1	1	1	1	1	1
46	Oil seal	1	1	1	1	1	1	1
49	Impeller	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	2	2
66	Washer	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1


60 Hz R version									
Pos.	Pump type [kW]	0.75	50 / 1.5	80 / 1.5	50 / 2.2	80 / 2.2	80 / 3.7	100 / 3.7	80 / 5.5
	Description/Kit No	96936860	96936861	96936862	96936863	96936864	96936865	96936866	96936867
9a	Sunk key	1	1	1	1	1	1	1	1
46	Oil seal	-	-	-	-	-	1	1	1
49	Impeller	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	2	2	2
66	Washer	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1

60 Hz R version								
Pos.	Pump type [kW]	100 / 5.5	100 / 7.5	150 / 7.5	100 / 11	150 / 11	100 / 15	150 / 15
	Description/Kit No	96936868	96936869	96936870	96936853	96936871	96936854	96936872
9a	Sunk key	1	1	1	1	1	1	1
46	Oil seal	1	1	1	1	1	1	1
49	Impeller	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	2	2
66	Washer	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1




TM04 4575 1809

DWK.O.6.80.15, DWK.O.6.80.22, DWK.O.10.80.37, DWK.O.10.100.37



TM04 4708 1909

DWK.O.13.80.55, DWK.O.13.100.55, DWK.O.13.100.75, DWK.O.13.100.110, DWK.O.13.100.150,
DWK.O.13.150.150



TM04 4576 1809

DWK.E

Bearing

Pos.	Pump type [kW]	100 / 22	150 / 37
		150 / 22	200 / 37
		150 / 30	150 / 45
		200 / 30	200 / 45
			150 / 55
			200 / 55
			200 / 75
			200 / 90
	Description/Kit No	96884331	96884332
102	Stop ring	1	1
153	Lower bearing	1	1
153a	Lower bearing	1	1
154	Upper bearing	1	1

Cable

Voltage [V]		220-240				380-415				
Pump type [kW]		22	37	45	75	22	30	37	55	90
		30		55				45	75	
Connection		Y-D	Y-D	Y-D	Y-D	Y-D	Y-D	Y-D	Y-D	Y-D
Kit No		96884306	96884304	96884307	96884305	96884308	96884309	96884303	96884304	96884305
Pos.	Description									
39c	O-ring	1	1	1	1	1	1	1	1	1
159	Cable rubber	1	1	1	1	1	1	1	1	1
159a	Stuffing box cover	1	1	1	1	1	1	1	1	1
168	Cable gland	1	1	1	1	1	1	1	1	1
168a	Stuffing box	1	1	1	1	1	1	1	1	1
181	Power cable [m]	10	10	10	10	10	10	10	10	10
181a	Screw	3	3	3	3	3	3	3	3	3
181b	Washer	3	3	3	3	3	3	3	3	3
183b	Screw	4	4	4	4	4	4	4	4	4
183c	Washer	4	4	4	4	4	4	4	4	4
184b	Screw	4	4	4	4	4	4	4	4	4
184c	Washer	4	4	4	4	4	4	4	4	4
198	Cable bush	1	1	1	1	1	1	1	1	1
524	Cable sleeve	13	13	13	20	13	13	13	13	20
525	Shrinkable sleeve	13	13	13	20	13	13	13	13	20
526	Electric tape, roll	1	1	1	1	1	1	1	1	1

Impeller

50 Hz standard version												
Pos.	Pump type [kW]	100 / 22	150 / 30	200 / 30	150 / 37	200 / 37	150 / 45	200 / 45	150 / 55	200 / 55	200 / 75	200 / 90
		150 / 22										
	Kit No	96884323	96926015	97533111	96926017	96926018	96926019	96926020	97533113	96884319	96926021	96926022
	Description											
9a	Sunk key	1	1	1	1	1	1	1	1	1	1	1
46	Oil seal	3	3	3	3	3	3	3	3	3	3	3
49	Impeller	1	1	1	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	1	1	1	1	1	1
66	Washer	1	1	1	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1	1	1	1

50 Hz R version												
Pos.	Pump type [kW]	100 / 22	150 / 30	200 / 30	150 / 37	200 / 37	150 / 45	200 / 45	150 / 55	200 / 55	200 / 75	200 / 90
		150 / 22										
	Kit No	96936875	96936876	97533115	96936877	96936878	96936879	96936880	97533116	96936881	96936882	96936883
	Description											
9a	Sunk key	1	1	1	1	1	1	1	1	1	1	1
46	Oil seal	3	3	3	3	3	3	3	3	3	3	3
49	Impeller	1	1	1	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	1	1	1	1	1	1
66	Washer	1	1	1	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1	1	1	1

60 Hz standard version												
Pos.	Pump type [kW]	100 / 22	150 / 30	200 / 30	150 / 37	200 / 37	150 / 45	200 / 45	150 / 55	200 / 55	200 / 75	200 / 90
		150 / 22										
	Kit No	96884310	96884311	97533118	96884313	97533119	96884315	96884316	96884317	96884318	96884319	97533120
	Description											
9a	Sunk key	1	1	1	1	1	1	1	1	1	1	1
46	Oil seal	3	3	3	3	3	3	3	3	3	3	3
49	Impeller	1	1	1	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	1	1	1	1	1	1
66	Washer	1	1	1	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1	1	1	1

60 Hz R version												
Pos.	Pump type [kW]	100 / 22	150 / 30	200 / 30	150 / 37	200 / 37	150 / 45	200 / 45	150 / 55	200 / 55	200 / 75	200 / 90
		150 / 22										
	Kit No	96936884	96936885	97533124	96936886	97533122	96936887	96936888	96936889	96936890	96936881	97533123
	Description											
9a	Sunk key	1	1	1	1	1	1	1	1	1	1	1
46	Oil seal	3	3	3	3	3	3	3	3	3	3	3
49	Impeller	1	1	1	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	1	1	1	1	1	1
66	Washer	1	1	1	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1	1	1	1

Shaft seal


Pos.	Pump type [kW]	100 / 22	150 / 37
		150 / 22	200 / 37
		150 / 30	150 / 45
		200 / 30	200 / 45
			150 / 55
			200 / 55
			200 / 75
			200 / 90
		Description/Kit No	96884177
105	Mechanical seal	1	1
105a	Seal stopper	1	1
105b	Screw	3	3

Seal kit

Standard version					R version			
Pos.	Pump type [kW]	100 / 22	150 / 37	200 / 90	100 / 22	150 / 22	150 / 37	200 / 90
		150 / 22	200 / 37			150 / 30	200 / 37	
		150 / 30	150 / 45			200 / 30	150 / 45	
		200 / 30	200 / 45				200 / 45	
			150 / 55				150 / 55	
			200 / 55				200 / 55	
			200 / 75				200 / 75	
	Rubber type	NBR	NBR	NBR	NBR	NBR	NBR	NBR
Description/Kit No	96884327	96884328	96884330	96884321	96884322	96884324	96884326	
26a	O-ring	1	-	-	1	1	-	-
35c	Gasket	1	-	-	1		-	-
37a	O-ring	1	-	-	1	1	-	-
37b	O-ring	1	-	-	1	1	-	-
37c	O-ring	1	-	-	1	1	-	-
39	O-ring	1	1	1	1	1	-	-
39a	O-ring	1	-	-	1	1	-	-
39b	O-ring	1		-	1	1	-	-
39c	O-ring	1	1	2	1	1	1	2
107	O-ring	1	-	-	1	1	-	-
109	O-ring	1	-	-	1	1	-	-
109a	O-ring	1	-	-	1	1	-	-
185	O-ring	-	1	-	-	-	1	-


Suction cover

50 Hz										
Pos.	Pump type [kW]	100 / 22	150 / 30	200 / 30	150 / 37	200 / 37	150 / 45	200 / 45	150 / 55	200 / 55
		150 / 22								200 / 75
	Description/Kit No	96884329	96926016	97534325	96884337	96884342	96884337	96884342	97534328	96884342
188a	Screw	6	6	6	6	6	6	6	6	6
188b	Washer	6	6	6	6	6	6	6	6	6
189	Suction cover	1	1	1	1	1	1	1	1	1
60 Hz										
Pos.	Pump type [kW]	100 / 22	150 / 30	200 / 30	150 / 37	200 / 37	150 / 45	200 / 45	150 / 55	200 / 90
		150 / 22							200 / 55	
	Description/Kit No	96884334	96884335	97534353	96884337	97534355	96884339	96884342	96884340	97534356
188a	Screw	6	6	6	6	6	6	6	6	6
188b	Washer	6	6	6	6	6	6	6	6	6
189	Suction cover	1	1	1	1	1	1	1	1	1



TM04 4576 1809

DWK.E.10.150.300, DWK.E.10.200.300, DWK.E.10.150.370, DWK.E.10.150.450, DWK.E.10.200.370, DWK.E.10.200.450



TM04 4707 1909

DPK

Bearing

Pump type [kW]		0.75-2.2	3.7	5.5-7.5	11-15	19-22
Pos.	Description/Kit No	96884154	96884155	96884156	96884157	96884158
102	Stop ring	1	1	1	1	1
153	Lower bearing	1	1	1	1	1
153a	Lower bearing			1	1	1
154	Upper bearing	1	1	1	1	1

Cable

Voltage [V]		220-240								
Pos.	Pump type [kW]	0.75-2.2	3.7	5.5	5.5	7.5	11	11	19	22
					7.5		15	15		
	Connection	DOL	DOL	DOL	Y-D	DOL	DOL	Y-D	Y-D	Y-D
	Description/Kit No	96884246	96884125	96884127	96936830	96884129	96884130	96936831	96884131	96884133
84b	Screw	-	-	-	-	-	-	-	6	6
84c	Washer	-	-	-	-	-	-	-	6	6
168	Cable gland	-	1	1	1	1	1	1	1	1
168b	Stuffing box	1	-	-	-	-	-	-	1	1
181	Power cable [m]	10	10	10	10	10	10	10	10	10
181a	Screw	3	2	2	2	2	2	2	3	3
181b	Washer	3	2	2	2	2	2	2	3	3
186	Screw	-	2	2	2	2	2	2	-	-
186a	Washer	-	2	2	2	2	2	2	-	-
168a	Cable gland	-	1	1	1	1	1	1	-	-
190a	Rubber moulding	1	-	-	-	-	-	-	-	-
190c	Moulding tube	-	-	-	-	-	-	-	1	1
198	Cable bush	1	1	1	1	1	1	1	-	-
198a	Backup ring	-	2	2	2	2	2	2	-	-
198b	Cable bush	-	2	2	2	2	2	2	1	1
524	Cable sleeve	8	8	8	11	8	10	13	13	13
525	Shrinkable sleeve	8	8	8	11	8	10	13	13	13
526	Electric tape	1	1	1	1	1	1	1	1	1

Voltage [V]		380-415							
Pump type [kW]		0.75-2.2	3.7	5.5	5.5	7.5	11	19	22
Pos.		7.5							
Connection		11							
Description/Kit No		15							
Connection		DOL	DOL	DOL	Y-D	DOL	DOL	Y-D	Y-D
Description/Kit No		96884246	96884126	96884128	96936830	96884127	96884129	96884132	96884133
84b	Screw	-	-	-	-	-	-	6	6
84c	Washer	-	-	-	-	-	-	6	6
168	Cable gland	-	1	1	1	1	1	1	1
168b	Stuffing box	1	-	-	-	-	-	1	1
181	Power cable [m]	10	10	10	10	10	10	10	10
181a	Screw	3	2	2	2	2	2	3	3
181b	Washer	3	2	2	2	2	2	3	3
186	Screw	-	2	2	2	2	2	-	-
186a	Washer	-	2	2	2	2	2	-	-
168a	Cable gland	-	1	1	1	1	1	-	-
190a	Rubber moulding	1	-	-	-	-	-	-	-
190c	Moulding tube	-	-	-	-	-	-	1	1
198	Cable bush	1	1	1	1	1	1	-	-
198a	Backup ring	-	2	2	2	2	2	-	-
198b	Cable bush	-	2	2	2	2	2	1	1
524	Cable sleeve	8	8	8	11	8	8	13	13
525	Shrinkable sleeve	8	8	8	11	8	8	13	13
526	Electric tape	1	1	1	1	1	1	1	1

Impeller

50 Hz											
Pos.	Pump type [kW]	0.75	1.5	2.2	3.7	5.5	7.5	11	15	19	22
	Description/Kit No	96884134	96884135	96884136	96884137	96884138	96884139	96884140	96884141	96884142	96884143
9a	Sunk key	1	1	1	1	1	1	1	1	1	1
46	Oil seal	-	-	-	1	1	1	1	1	1	1
46a	Oil seal	-	-	-	-	-	-	-	-	1	1
49	Impeller	1	1	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	2	2	2	2	2
66	Washer	1	1	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1	1	1

60 Hz											
Pos.	Pump type [kW]	0.75	1.5	2.2	3.7	5.5	7.5	11	15	19	22
	Description/Kit No	96884144	96884145	96884146	96884147	96884148	96884149	96884150	96884151	96884152	96884153
9a	Sunk key	1	1	1	1	1	1	1	1	1	1
46	Oil seal	-	-	-	1	1	1	1	1	1	1
46a	Oil seal	-	-	-	-	-	-	-	-	1	1
49	Impeller	1	1	1	1	1	1	1	1	1	1
49a	Gap washer	2	2	2	2	2	2	2	2	2	2
66	Washer	1	1	1	1	1	1	1	1	1	1
188	Cap nut	1	1	1	1	1	1	1	1	1	1

O-ring

Pump type [kW]		0.75-2.2	3.7	5.5-7.5	11-15	19-22
Pos.	Rubber type	NBR	NBR	NBR	NBR	NBR
	Description/Kit No	96884169	96884170	96884171	96884172	96884173
37	O-ring	1	1	1	1	1
37a	O-ring	1	1	1	1	1
37b	O-ring	1	1	1	1	1
109	O-ring	1	1	1	1	1
194	O-ring	1	1	1	1	1

Shaft seal


Pos.	Pump type [kW]	0.75-2.2	3.7	5.5-15	19-22
	Description/Kit No	96884174	96884175	96884176	96884177
105	Mechanical seal	1	1	1	1
105a	Seal stopper		1	1	1
105b	Screw		3	3	3

Suction cover

50 Hz							
Pos.	Pump type [kW]	0.75-1.5	2.2	3.7	5.5	7.5	11-15
	Description/Kit No	96884159	96884160	96884165	96884161	96884162	96884163
188a	Screw	3	3	6	6	6	6
188b	Washer	3	3	6	6	6	6
189	Suction cover	1	1	1	1	1	1


60 Hz					
Pos.	Pump type [kW]	0.75-2.2	3.7	5.5	11-15
	Description/Kit No	96884159	96884164	96884161	96884162
188a	Screw	3	6	6	6
188b	Washer	3	6	6	6
189	Suction cover	1	1	1	1

DPK.10.50.075, DPK.10.50.15, DPK.10.80.22




TM04 4365 1809

DPK.15.80.37, DPK.15.100.55, DPK.15.100.75, DPK.20.100.110, DPK.20.100.150



TM04 4367 1809

DPK.20.150.190, DPK.20.150.220



TM04 4706 1909