

71. SEG Autoadapt

50 Hz

Electronic controller

Pos.	Description	Type	Standard 1-ph.	Ex 1-ph.	Standard 3-ph.	Ex 3-ph.
		2-pole	0.9 - 1.2 kW	0.9 - 1.2 kW	0.9 - 4.0 kW	0.9 - 4.0 kW
		Kit No	96898085	96984145	96898086	96984146
90a	Lid with electronic unit		1	1	1	1
90b	O-ring 180 x 4		1	1	1	1

Impeller

Pos.	Description	Type	Standard and Ex					
		2-pole	0.9 kW	1.2 kW	1.5 kW	2.6 kW	3.0 kW	4.0 kW
		Kit No	96076115	96076116	96076117	96076118	96076119	96076120
9a	Key 5 x 5 x 12		1	1	1	1	1	1
49	Impeller		1	1	1	1	1	1
66	Lock washer		1	1	1	1	1	1
68	Adjustment nut		1	1	1	1	1	1
188a	Screw M8 x 25		1	1	1	1	1	1


O-ring

Pos.	Description	Type	Standard and Ex			
		2-pole	0.9 - 1.5 kW		2.6 - 4.0 kW	
		Rubber type	NBR	FKM	NBR	FKM
		Kit No	96076124	96646061	96076125	96646062
26a	O-ring		1	1	1	1
37	O-ring		1	1	1	1
37a	O-ring		2	2	2	2
90b	O-ring		1	1	1	1
102	O-ring		1	1	1	1
107	O-ring		2	2	1	1
159	O-ring		1	1	1	1
194	Seal washer		2	2	2	2
198	Bush for shaft seal		1	1	-	-
153a	O-ring		1	1	1	1
153b	O-ring		1	1	1	1


Shaft seal

Pos.	Description	Type	Standard and Ex			
		2-pole	0.9 - 1.5 kW		2.6 - 4.0 kW	
		Rubber type	BQQP	BQQV	BQQP	BQQV
		Kit No	96076122	96645160	96076123	96645275
9a	Key		1	1	1	1
66	Lock washer		1	1	1	1
105	Shaft seal cartridge		1	1	1	1
107	O-ring		-	-	1	1
112a	Retaining ring		-	-	1	1
188a	Screw M8 x 25		1	1	1	1
194	Seal washer		2	2	2	2
103	Bush for shaft seal		1	1	-	-

2.6 - 4 kW



0.9 - 1.5 kW



TM04 5062 2109

TM04 4486 1909

Clamp

Pos.	Description	Type	Standard and Ex	
		2-pole	0.9 - 1.5 kW	2.6 - 4.0 kW
		Kit No	96592050	96592054
92	Clamp complete		1	1

Dry-running sensor

Pos.	Description	Type	Standard	Ex
		2-pole	0.9 - 4.0 kW	0.9 - 4.0 kW
		Kit No	96898083	96984131
90b	O-ring 180 x 4		1	1
285	Dry-running sensor		2	2
285a	O-ring 30 x 3		1	1
285b	Set screw for sensor housing M6 x 18		1	1

Grinder

Pos.	Kit No	96076121	96903344
	Description	Standard	Heavy duty
44	Grinder ring	1	1
45	Grinder head	1	1
66	Lock washer	1	1
188a	Screw M8 x 25	2	2

Guide shoe

Pos.	Description	Type	DN 40	
		Rubber type	NBR	FKM
		Kit No	96592055	96659162
-	Rubber seal for guide shoe		1	1
-	Guide shoe		1	1

Level sensor

Pos.	Description	Type	Standard	Ex
		2-pole	0.9 - 4.0 kW	0.9 - 4.0 kW
		Kit No	96898082	96984130
90b	O-ring 180 x 4		1	1
287a	Protection plate for level sensor		1	1
287b	O-ring 20 x 3		1	1
287c	Set screw for sensor housing M6 x 18		1	1

Lifting bracket

Pos.	Description	Type	Standard and Ex	
		2-pole	0.9 - 1.5 kW	2.6 - 4.0 kW
		Kit No	96984147	96984148
188a	Screw M8 x 25		1	2
190	Lifting bracket		1	1

Power plug

Pos.	Description	Type	Standard and Ex
		2-pole	0.9 - 4.0 kW
		Kit No	96984144
90b	O-ring 180 x 4		1
181	Outer plug for power connection		1

Run capacitor

Pos.	Description	Type	Standard 1-phase and Ex
		2-pole	0.9 - 1.2 kW
		Kit No	96898084
90b	O-ring 180 x 4		1
161b	Hexagon nut M8		1
161c	Bracket with capacitor		1
161d	Star washer		1
161f	Screw M5 x 10		1
288	Pt1000 sensor		1
-	Cable strip		2

SmartSeal

Pos.	Description	Type	DN 40	
		Rubber type	NBR	FKM
		Kit No	96592036	96659159
-	SmartSeal for guide shoe		1	1


Sphere for hook-up

Pos.	Description	Type	DN 40/Rp 1 1/2		DN 50/Rp 2	
		Rubber type	NBR	FKM	NBR	FKM
		Kit No	96592033	96657776	96592034	96657778
-	Sphere for hook-up		1	1	1	1


Upper guide rail holder

Pos.	Description	Type	Standard and Ex
		2-pole	0.9-4.0 kW
		Kit No	96829356
-	Upper guide rail holder 3/4"		1

2.6 - 4 kW



0.9 - 1.5 kW



TM04 5062 2109

TM04 4486 1909