


CR 10, CRI 10, CRN 10, CRE 10, CRIE 10, CRNE 10

Verticale meertraps centrifugaalpomp
50 Hz




Capaciteitsoverzicht - CR, CRI, CRN




TM02 1192 3605

Capaciteitsoverzicht - CRE, CRIE, CRNE




TM02 7281 3605

CR, CRE 10



TM02 7296 3605

Maatschets




TM03 1725 2805

Afmetingen en gewichten


Pomp- type	Motor P ₂ [kW]	CR										CRE									
		Afmetingen [mm]								Nettogewicht [kg]		Afmetingen [mm]								Nettogewicht [kg]	
		Ovale flens		DIN flens		D1	D2	D3	Ovale flens	DIN flens	Ovale flens		DIN flens		D1	D2	D3	Ovale flens	DIN flens		
		B1	B1+B2	B1	B1+B2						B1	B1+B2	B1	B1+B2							
CR(E) 10-1	0,37	343	534	343	534	141	109	-	31	34	343	534	343	534	141	140	-	32,9	35,9		
CR(E) 10-2	0,75	347	578	347	578	141	109	-	34	36	347	347	347	347	178	167	-	35,2	37,2		
CR(E) 10-3	1,1	377	608	377	608	141	109	-	37	39	377	608	377	608	178	167	-	32,9	35,9		
CR(E) 10-4	1,5	423	704	423	704	178	110	-	45	47	423	704	423	704	178	167	-	54,5	51,5		
CR 10-5	2,2	453	734	453	734	178	110	-	46	49	-	-	-	-	-	-	-	-	-		
CR(E) 10-6	2,2	483	764	483	764	178	110	-	47	50	483	764	483	764	178	167	-	57,5	60,5		
CR 10-7	3	518	853	518	853	198	120	-	52	55	-	-	-	-	-	-	-	-	-		
CR 10-8	3	548	883	548	883	198	120	-	53	56	-	-	-	-	-	-	-	-	-		
CR(E) 10-9	3	578	913	578	913	198	120	-	54	57	578	913	578	913	198	177	-	63	66		
CR 10-10	4	608	980	608	980	220	134	-	66	69	-	-	-	-	-	-	-	-	-		
CR(E) 10-12	4	668	1040	668	1040	220	134	-	69	71	668	1040	668	1040	220	188	-	78,3	81,3		
CR 10-14	5,5	760	1151	760	1151	220	134	300	91	94	-	-	-	-	-	-	-	-	-		
CR(E) 10-16	5,5	820	1211	820	1211	220	134	300	93	96	820	1211	820	1211	220	188	298	104,9	107,9		
CR 10-18	7,5	-	-	880	1271	220	134	300	-	101	-	-	-	-	-	-	-	-	-		
CR 10-20	7,5	-	-	940	1331	220	134	300	-	103	-	-	-	-	-	-	-	-	-		
CR(E) 10-22	7,5	-	-	1000	1391	220	134	300	-	105	-	-	1000	1391	220	188	298	-	116,7		

CRI, CRN, CRIE, CRNE 10



TM02 7297 3605

Maatschets



TM03 2498 4405

Afmetingen en gewichten

Pomp- type	Motor P ₂ [kW]	CRI/CRN										CRIE/CRNE									
		Afmetingen [mm]								Nettogewicht [kg]		Afmetingen [mm]								Nettogewicht [kg]	
		PJE/CA		DIN flens		D1	D2	D3	PJE/ CA	DIN flens	PJE/CA		DIN flens		D1	D2	D3	PJE/ CA	DIN flens		
		B1	B1+B2	B1	B1+B2						B1	B1+B2	B1	B1+B2							
CRI(E)/CRN(E) 10-1	0,37	353	544	353	544	141	109	-	28	32	353	544	353	544	141	140	-	29,9	33,9		
CRI(E)/CRN(E) 10-2	0,75	357	588	357	588	141	109	-	31	34	357	588	357	588	178	167	-	32,2	35,2		
CRI(E)/CRN(E) 10-3	1,1	387	618	387	618	141	109	-	34	38	387	618	387	618	178	167	-	29,9	33,9		
CRI(E)/CRN(E) 10-4	1,5	433	714	433	714	178	110	-	42	46	433	714	433	714	178	167	-	48,5	52,5		
CRI/CRN 10-5	2,2	463	784	463	784	178	110	-	44	47	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 10-6	2,2	493	814	493	814	178	110	-	45	48	493	814	493	814	178	167	-	55,5	58,5		
CRI/CRN 10-7	3	528	863	528	863	198	120	-	50	54	-	-	-	-	-	-	-	-	-		
CRI/CRN 10-8	3	558	893	558	893	198	120	-	51	55	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 10-9	3	588	923	588	923	198	120	-	52	56	588	923	588	923	198	177	-	61	65		
CRI/CRN 10-10	4	618	990	618	990	220	134	-	64	68	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 10-12	4	678	1050	678	1050	220	134	-	66	70	678	1050	678	1050	220	188	-	76,3	79,3		
CRI/CRN 10-14	5,5	770	1161	770	1161	220	134	300	88	92	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 10-16	5,5	830	1221	830	1221	220	134	300	90	94	830	1221	830	1221	220	188	300	102,9	105,9		
CRI/CRN 10-18	7,5	890	1281	890	1281	220	134	300	96	99	-	-	-	-	-	-	-	-	-		
CRI/CRN 10-20	7,5	950	1341	950	1341	220	134	300	98	101	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 10-22	7,5	1010	1401	1010	1401	220	134	300	100	104	1010	1401	1010	1401	220	188	298	110,7	114,7		

96624780 1006	NL
Repl. 96624780 0306	

Wijzigingen voorbehouden.