


CR-32, CRI-32, CRN-32, CRE-32, CRIE-32, CRNE-32

Verticale meertraps centrifugaalpomp
50 Hz




Capaciteitsoverzicht - CR, CRI, CRN




TM02 1192 3605

Capaciteitsoverzicht - CRE, CRIE, CRNE




TM02 7281 3605

CR, CRE 32



TM02 7302 3605

Maatschets




TM01 1749 3298

Afmetingen en gewichten


Pomp-type	Motor P ₂ [kW]	CR						CRE					
		Afmetingen [mm]					Nettogewicht [kg]	Afmetingen [mm]					Nettogewicht [kg]
		DIN flens		D1	D2	D3		DIN flens		D1	D2	D3	
		B1	B1+B2					B1	B1+B2				
CR(E) 32-1-1	1,5	505	786	178	110	135	61	505	786	178	167	135	78,5
CR(E) 32-1	2,2	505	826	178	110	135	62	505	826	178	167	135	89,5
CR(E) 32-2-2	3	575	910	198	120	-	76	575	910	198	177	145	98
CR(E) 32-2	4	575	947	220	134	158	87	575	947	220	188	160	109,3
CR 32-3-2	5,5	645	1036	220	134	298	107	-	-	-	-	-	-
CR(E) 32-3	5,5	645	1036	220	134	298	107	645	1036	220	188	298	119,9
CR 32-4-2	7,5	715	1106	220	134	298	117	-	-	-	-	-	-
CR(E) 32-4	7,5	715	1106	220	134	298	117	715	1106	220	188	298	126,7
CR 32-5-2	11	895	1394	260	172	350	155	-	-	-	-	-	-
CR 32-5	11	895	1394	260	172	350	155	-	-	-	-	-	-
CR 32-6-2	11	965	1464	260	172	350	158	-	-	-	-	-	-
CR(E) 32-6	11	965	1464	260	172	350	158	965	1414	258	359	350	212
CR 32-7-2	15	1035	1513	320	197	350	175	-	-	-	-	-	-
CR 32-7	15	1035	1513	320	197	350	175	-	-	-	-	-	-
CR 32-8-2	15	1105	1583	320	197	350	178	-	-	-	-	-	-
CR(E) 32-8	15	1105	1583	320	197	350	178	1105	1566	313	377	350	236,5
CR 32-9-2	18,5	1175	1693	320	197	350	211	-	-	-	-	-	-
CR 32-9	18,5	1175	1693	320	197	350	211	-	-	-	-	-	-
CR 32-10-2	18,5	1245	1763	320	197	350	214	-	-	-	-	-	-
CR(E) 32-10	18,5	1245	1763	320	197	350	214	1245	1744	313	377	350	280
CR 32-11-2	22	1315	1925	363	262	350	250	-	-	-	-	-	-
CR 32-11	22	1315	1925	363	262	350	250	-	-	-	-	-	-
CR 32-12-2	22	1385	1995	363	262	350	254	-	-	-	-	-	-
CR(E) 32-12	22	1385	1995	363	262	350	254	1385	1910	351	399	350	327
CR 32-13-2	30	1455	2101	415	300	400	322	-	-	-	-	-	-
CR 32-13	30	1455	2101	415	300	400	322	-	-	-	-	-	-
CR 32-14-2	30	1525	2171	415	300	400	325	-	-	-	-	-	-
CR 32-14	30	1525	2171	415	300	400	325	-	-	-	-	-	-

CRN, CRNE 32



TM02 7303 3605

Maatschets



TM01 1750 2203

Afmetingen en gewichten

Pump type	Motor P ₂ [kW]	CRN						CRNE					
		Dimension [mm]					Net weight [kg]	Dimension [mm]					Net weight [kg]
		DIN flange		D1	D2	D3		DIN flange		D1	D2	D3	
		B1	B1+B2					B1	B1+B2				
CRN(E) 32-1-1	1.5	505	786	178	110	135	61	505	786	178	167	135	78.5
CRN(E) 32-1	2.2	505	826	178	110	135	62	505	826	178	167	135	89.5
CRN(E) 32-2-2	3	575	910	198	120	-	76	575	910	198	177	145	97
CRN(E) 32-2	4	575	947	220	134	158	87	575	947	220	188	160	108.3
CRN 32-3-2	5.5	645	1036	220	134	298	107	-	-	-	-	-	-
CRN(E) 32-3	5.5	645	1036	220	134	298	107	645	1036	220	188	298	118.9
CRN 32-4-2	7.5	715	1106	220	134	298	117	-	-	-	-	-	-
CRN(E) 32-4	7.5	715	1106	220	134	298	117	715	1106	220	188	298	126.7
CRN 32-5-2	11	895	1394	260	172	350	155	-	-	-	-	-	-
CRN 32-5	11	895	1394	260	172	350	155	-	-	-	-	-	-
CRN 32-6-2	11	965	1464	260	172	350	158	-	-	-	-	-	-
CRN(E) 32-6	11	965	1464	260	172	350	158	965	1414	258	359	350	212
CRN 32-7-2	15	1035	1513	320	197	350	175	-	-	-	-	-	-
CRN 32-7	15	1035	1513	320	197	350	175	-	-	-	-	-	-
CRN 32-8-2	15	1105	1583	320	197	350	178	-	-	-	-	-	-
CRN(E) 32-8	15	1105	1583	320	197	350	178	1105	1566	313	377	350	236.5
CRN 32-9-2	18.5	1175	1693	320	197	350	211	-	-	-	-	-	-
CRN 32-9	18.5	1175	1693	320	197	350	211	-	-	-	-	-	-
CRN 32-10-2	18.5	1245	1763	320	197	350	214	-	-	-	-	-	-
CRN(E) 32-10	18.5	1245	1763	320	197	350	214	1245	1744	313	377	350	279
CRN 32-11-2	22	1315	1925	363	262	350	250	-	-	-	-	-	-
CRN 32-11	22	1315	1925	363	262	350	250	-	-	-	-	-	-
CRN 32-12-2	22	1385	1995	363	262	350	254	-	-	-	-	-	-
CRN(E) 32-12	22	1385	1995	363	262	350	254	1385	1910	351	399	350	326
CRN 32-13-2	30	1455	2101	415	300	400	322	-	-	-	-	-	-
CRN 32-13	30	1455	2101	415	300	400	322	-	-	-	-	-	-
CRN 32-14-2	30	1525	2171	415	300	400	325	-	-	-	-	-	-
CRN 32-14	30	1525	2171	415	300	400	325	-	-	-	-	-	-

96624780 1006	NL
Repl. 96624780 0306	

Wijzigingen voorbehouden.