


CR-45, CRI-45, CRN-45, CRE-45, CRIE-45, CRNE-45

Verticale meertraps centrifugaalpomp
50 Hz




Capaciteitsoverzicht - CR, CRI, CRN




TM02 1192 3605

Capaciteitsoverzicht - CRE, CRIE, CRNE




TM02 7281 3605

CR, CRE 45



TM02 7304 3605

Maatschets




TM01 1751 3203

Afmetingen en gewichten


Pomp-type	Motor P ₂ [kW]	CR						CRE					
		Afmetingen [mm]					Nettogewicht [kg]	Afmetingen [mm]					Nettogewicht [kg]
		DIN flens		D1	D2	D3		DIN flens		D1	D2	D3	
		B1	B1+B2					B1	B1+B2				
CR(E) 45-1-1	3	559	894	198	120	-	80	559	894	198	177	145	104
CR(E) 45-1	4	559	931	220	134	158	91	559	931	220	188	160	115,3
CR(E) 45-2-2	5,5	639	1030	220	134	298	108	639	1030	220	188	298	125,9
CR(E) 45-2	7,5	639	1030	220	134	298	110	639	1030	220	188	298	129,7
CR 45-3-2	11	829	1328	260	172	350	149	-	-	-	-	-	-
CR(E) 45-3	11	829	1328	260	172	350	149	829	1278	258	359	350	211
CR 45-4-2	15	909	1387	320	197	350	169	-	-	-	-	-	-
CR(E) 45-4	15	909	1387	320	197	350	169	909	1370	313	377	350	231,5
CR 45-5-2	18,5	989	1507	320	197	350	204	-	-	-	-	-	-
CR(E) 45-5	18,5	989	1507	320	197	350	204	989	1488	313	377	350	271
CR 45-6-2	22	1069	1679	363	262	350	240	-	-	-	-	-	-
CR(E) 45-6	22	1069	1679	363	262	350	240	1069	1594	351	399	350	314
CR 45-7-2	30	1149	1795	415	300	400	321	-	-	-	-	-	-
CR 45-7	30	1149	1795	415	300	400	321	-	-	-	-	-	-
CR 45-8-2	30	1229	1875	415	300	400	336	-	-	-	-	-	-
CR 45-8	30	1229	1875	415	300	400	336	-	-	-	-	-	-
CR 45-9-2	30	1309	1955	415	300	400	341	-	-	-	-	-	-
CR 45-9	37	1309	2012	415	300	400	361	-	-	-	-	-	-
CR 45-10-2	37	1389	2092	415	300	400	366	-	-	-	-	-	-
CR 45-10	37	1389	2092	415	300	400	366	-	-	-	-	-	-
CR 45-11-2	45	1469	2178	442	325	450	478	-	-	-	-	-	-
CR 45-11	45	1469	2178	442	325	450	478	-	-	-	-	-	-
CR 45-12-2	45	1549	2258	442	325	450	483	-	-	-	-	-	-
CR 45-12	45	1549	2258	442	325	450	483	-	-	-	-	-	-
CR 45-13-2	45	1629	2338	442	325	450	488	-	-	-	-	-	-

CRN, CRNE 45



TM02 7305 3605

Maatschets



TM01 1752 3203

Afmetingen en gewichten

Pomp-type	Motor P ₂ [kW]	CRN						CRNE					
		Afmetingen [mm]					Nettogewicht [kg]	Afmetingen [mm]					Nettogewicht [kg]
		DIN flens		D1	D2	D3		DIN flens		D1	D2	D3	
		B1	B1+B2					B1	B1+B2				
CRN(E) 45-1-1	3	559	894	198	120	-	80	559	894	198	177	145	103
CRN(E) 45-1	4	559	931	220	134	158	91	559	931	220	188	160	114,3
CRN(E) 45-2-2	5,5	639	1030	220	134	298	108	639	1030	220	188	298	124,9
CRN(E) 45-2	7,5	639	1030	220	148	300	110	639	1030	220	188	298	128,7
CRN 45-3-2	11	829	1328	260	172	350	149	-	-	-	-	-	-
CRN(E) 45-3	11	829	1328	260	172	350	149	829	1278	258	359	350	210
CRN 45-4-2	15	909	1387	320	197	350	169	-	-	-	-	-	-
CRN(E) 45-4	15	909	1387	320	197	350	169	909	1370	313	377	350	231,5
CRN 45-5-2	18,5	989	1507	320	197	350	204	-	-	-	-	-	-
CRN(E) 45-5	18,5	989	1507	320	197	350	204	989	1488	313	377	350	270
CRN 45-6-2	22	1069	1679	363	262	350	240	-	-	-	-	-	-
CRN(E) 45-6	22	1069	1679	363	262	350	240	1069	1594	351	399	350	313
CRN 45-7-2	30	1149	1795	415	300	400	321	-	-	-	-	-	-
CRN 45-7	30	1149	1795	415	300	400	321	-	-	-	-	-	-
CRN 45-8-2	30	1229	1875	415	300	400	336	-	-	-	-	-	-
CRN 45-8	30	1229	1875	415	300	400	336	-	-	-	-	-	-
CRN 45-9-2	30	1309	1955	415	300	400	341	-	-	-	-	-	-
CRN 45-9	37	1309	2012	415	300	400	361	-	-	-	-	-	-
CRN 45-10-2	37	1389	2092	415	300	400	366	-	-	-	-	-	-
CRN 45-10	37	1389	2092	415	300	400	366	-	-	-	-	-	-
CRN 45-11-2	45	1469	2178	442	325	450	478	-	-	-	-	-	-
CRN 45-11	45	1469	2178	442	325	450	478	-	-	-	-	-	-
CRN 45-12-2	45	1549	2258	442	325	450	483	-	-	-	-	-	-
CRN 45-12	45	1549	2258	442	325	450	483	-	-	-	-	-	-
CRN 45-13-2	45	1629	2338	442	325	450	488	-	-	-	-	-	-

96624780 1006	NL
Repl. 96624780 0306	

Wijzigingen voorbehouden.