


CR 5, CRI 5, CRN 5, CRE 5, CRIE 5, CRNE 5

Verticale meertraps centrifugaalpomp
50 Hz




Capaciteitsoverzicht - CR, CRI, CRN




TM02 1192 3605

Capaciteitsoverzicht - CRE, CRIE, CRNE




TM02 7281 3605

CR, CRE 5



Maatschets




TM03 1723 2805

Afmetingen en gewichten


Pomp- type	Motor P ₂ [kW]	CR										CRE									
		Afmetingen [mm]								Nettogewicht [kg]		Afmetingen [mm]								Nettogewicht [kg]	
		Ovale flens		DIN flens		D1	D2	D3	Ovale flens	DIN flens	Ovale flens		DIN flens		D1	D2	D3	Ovale flens	DIN flens		
		B1	B1+B2	B1	B1+B2						B1	B1+B2	B1	B1+B2							
CR(E) 5-2	0,37	254	445	279	470	141	109	-	18	23	254	445	279	470	141	140	-	19,8	23,9		
CR 5-3	0,55	281	472	306	497	141	109	-	20	24	-	-	-	-	-	-	-	-	-		
CR(E) 5-4	0,55	308	499	333	524	141	109	-	20	25	308	499	333	524	141	140	-	21,2	25,3		
CR 5-5	0,75	341	572	366	597	141	109	-	22	27	-	-	-	-	-	-	-	-	-		
CR 5-6	1,1	368	599	393	624	141	109	-	25	30	-	-	-	-	-	-	-	-	-		
CR 5-7	1,1	395	626	420	651	141	109	-	26	30	-	-	-	-	-	-	-	-	-		
CR(E) 5-8	1,1	422	653	447	678	141	109	-	26	31	422	653	447	678	178	167	-	28,8	32,9		
CR 5-9	1,5	465	746	490	771	178	110	-	34	38	-	-	-	-	-	-	-	-	-		
CR(E) 5-10	1,5	492	773	517	798	178	110	-	34	39	492	773	517	798	178	167	-	41,3	45,4		
CR 5-11	2,2	519	840	544	865	178	110	-	36	40	-	-	-	-	-	-	-	-	-		
CR 5-12	2,2	546	867	571	892	178	110	-	36	41	-	-	-	-	-	-	-	-	-		
CR 5-13	2,2	573	894	598	919	178	110	-	37	41	-	-	-	-	-	-	-	-	-		
CR 5-14	2,2	600	921	625	946	178	110	-	37	42	-	-	-	-	-	-	-	-	-		
CR 5-15	2,2	627	948	652	973	178	110	-	38	43	-	-	-	-	-	-	-	-	-		
CR(E) 5-16	2,2	654	975	679	1000	178	110	-	38	43	654	975	679	1000	178	167	-	48,5	52,6		
CR 5-18	3	712	1047	737	1072	198	120	-	44	48	-	-	-	-	-	-	-	-	-		
CR(E) 5-20	3	766	1101	791	1126	198	120	-	45	50	766	1101	791	1126	198	177	-	55,1	59,2		
CR 5-22	4	820	1194	845	1217	220	134	-	56	62	-	-	-	-	-	-	-	-	-		
CR 5-24	4	-	-	899	1271	220	134	-	-	63	-	-	-	-	-	-	-	-	-		
CR 5-26	4	-	-	953	1325	220	134	-	-	64	-	-	-	-	-	-	-	-	-		
CR(E) 5-29	4	-	-	1034	1406	220	134	-	-	66	-	-	1034	1406	220	188	-	-	76,5		
CR 5-32	5,5	-	-	1145	1536	220	134	300	-	82	-	-	-	-	-	-	-	-	-		
CR(E) 5-36	5,5	-	-	1253	1644	220	134	300	-	84	-	-	1253	1644	220	188	-	-	95,5		

CRI, CRN, CRIE, CRNE 5



TM02 7295 3605

Maatschets



Afmetingen en gewichten

Pomp- type	Motor P ₂ [kW]	CRI/CRN										CRIE/CRNE									
		Afmetingen [mm]								Nettogewicht [kg]		Afmetingen [mm]								Nettogewicht [kg]	
		PJE/CA		DIN flens		D1	D2	D3	PJE/ CA	DIN flens	PJE/CA		DIN flens		D1	D2	D3	PJE/ CA	DIN flens		
		B1	B1+B2	B1	B1+B2						B1	B1+B2	B1	B1+B2							
CRI(E)/CRN(E) 5-2	0,37	257	448	282	473	141	109	-	16	21	257	448	282	473	141	140	-	17	20,6		
CRI/CRN 5-3	0,55	284	475	309	500	141	109	-	18	22	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 5-4	0,55	311	502	336	527	141	109	-	18	22	311	502	336	527	141	140	-	18,4	22		
CRI/CRN 5-5	0,75	344	575	369	600	141	109	-	21	25	-	-	-	-	-	-	-	-	-		
CRI/CRN 5-6	1,1	371	602	396	627	141	109	-	24	28	-	-	-	-	-	-	-	-	-		
CRI/CRN 5-7	1,1	398	629	423	654	141	109	-	24	28	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 5-8	1,1	425	656	450	681	141	109	-	25	29	425	656	450	681	178	167	-	26	29,6		
CRI/CRN 5-9	1,5	468	749	493	774	178	110	-	32	36	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 5-10	1,5	495	776	520	801	178	110	-	32	37	495	776	520	801	178	167	-	38,5	42,1		
CRI/CRN 5-11	2,2	522	843	547	868	178	110	-	34	38	-	-	-	-	-	-	-	-	-		
CRI/CRN 5-12	2,2	549	870	574	895	178	110	-	34	38	-	-	-	-	-	-	-	-	-		
CRI/CRN 5-13	2,2	576	897	601	922	178	110	-	35	39	-	-	-	-	-	-	-	-	-		
CRI/CRN 5-14	2,2	603	924	628	949	178	110	-	35	40	-	-	-	-	-	-	-	-	-		
CRI/CRN 5-15	2,2	630	951	655	976	178	110	-	36	40	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 5-16	2,2	657	978	682	1003	178	110	-	36	41	657	978	682	1003	178	167	-	45,7	49,3		
CRI/CRN 5-18	3	715	1050	740	1075	198	120	-	42	46	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 5-20	3	769	1104	794	1129	198	120	-	43	47	769	1104	794	1129	198	177	-	52,3	55,9		
CRI/CRN 5-22	4	823	1195	848	1220	220	134	-	55	59	-	-	-	-	-	-	-	-	-		
CRI/CRN 5-24	4	877	1249	902	1274	220	134	-	56	61	-	-	-	-	-	-	-	-	-		
CRI/CRN 5-26	4	931	1303	956	1328	220	134	-	58	62	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 5-29	4	1012	1384	1037	1409	220	134	-	59	64	1012	1384	1037	1409	220	188	-	69,6	73,2		
CRI/CRN 5-32	5,5	1123	1514	1148	1539	220	134	300	75	79	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 5-36	5,5	1231	1622	1256	1647	220	134	300	77	81	1231	1622	1256	1647	220	188	-	88,6	92,2		

96624780 1006	NL
Repl. 96624780 0306	

Wijzigingen voorbehouden.