




SP 14A

Onderwaterpompen, motoren en toebehoren
50 Hz




Capaciteitsoverzicht





Afmetingen en gewichten



Pomptype	Motor		Afmetingen [mm]							Nettogewicht [kg]	
	Type	Ver- mogen [kW]	C	B		A		D	E	1x230V	3x230V 3x400V
				1x230V	3x230V 3x400V	1x230 V	3x230V 3x400V				
SP 14A-5	MS 402	1,5	510	346	346	856	856	95	101	18	17
SP 14A-7	MS 4000	2,2	640	573		1213		95	101	29	
SP 14A-7	MS 402	2,2	640		346		986	95	101		19
SP 14A-10	MS 4000	3,0	835		493		1328	95	101		27
SP 14A-13	MS 4000	4,0	1030		573		1603	95	101		33
SP 14A-18	MS 4000	5,5	1355		673		2028	95	101		41
SP 14A-25	MS 4000	7,5	1810		773		2584	95	101		67
SP 14A-18	MS 6000	5,5	1417		541		1958	138	138		52
SP 14A-25	MS 6000	7,5	1872		571		2443	138	138		60

E = maximum diameter van pomp inclusief kabelafscherming en motor.

96 49 81 27 12 02	NL

Wijzigingen voorbehouden.